

**From:** [Tejinder singh](#)  
**To:** [Ruemel Panglao](#)  
**Cc:** [Tejinder singh](#)  
**Subject:** Re: Eucalyptus and Pine trees  
**Date:** Wednesday, October 6, 2021 2:58:59 PM

---

**CAUTION: This email originated from outside of San Mateo County. Unless you recognize the sender's email address and know the content is safe, do not click links, open attachments or reply.**

---

Dear Ruemel,

When you have a moment, would you happen to know if a permit to install our water connection, can be issued for us, so that we can start the re-seeding process ahead of the expected heavy rains.

We have a 5/8" connection, but for the Water Distt to supply water, we need a permit from the county according to the Water Distt. I am forwarding the email and attachment from the water district in my subsequent email to you.

I will appreciate your assistance.

Thanks  
TJ Singh  
655 Miramar Drive, Parcel-1  
Half Moon Bay, CA 94019

On Aug 4, 2021, at 1:40 AM, Tejinder singh [REDACTED] wrote:

Dear Ruemel,

Please find the photographs of the fiber rolls that we have started installing in the links below:

<https://www.dropbox.com/s/j24z15ag30gxtz8/2021-08-03%2016.14.06.jpg?dl=0>

<https://www.dropbox.com/s/s78ynl0j6q4cwe0/2021-08-03%2016.16.52.jpg?dl=0>

Thanks  
TJ Singh  
655 Miramar Drive, Parcel-1  
Half Moon Bay, CA 94019

On August 3, 2021 at 11:18 AM, Tejinder singh [REDACTED] wrote:

Thank you Ruemel,

We have obtained fiber rolls and plan to begin installing them this week. Regarding seeding, can you please suggest to the Coastside

Water Dist, copied on this email, that we may install water to our property.

Thanks  
TJ Singh  
655 Miramar Drive, Parcel-1  
Half Moon Bay, CA 94019

On August 3, 2021 at 10:07 AM, Ruemel Panglao  
<rpanglao@smcgov.org> wrote:

Hi TJ,

We have received some concerns from interested parties regarding potential erosion issues that stem from your recent tree removals. As noted on our Permit Exemption for Hazardous Trees page (<https://planning.smcgov.org/press-release/permit-exemption-hazardous-trees>), erosion control measures should be implemented to minimize erosion and sedimentation. Please see the recommended measures on the webpage.

After consultation with senior staff, it was determined that, at minimum, fiber rolls and re-seeding must be implemented within 7 days.

Please let me know if you have any questions.

Thanks,

Ruemel

---

**From:** Tejinder singh [REDACTED]  
**Sent:** Wednesday, July 14, 2021 8:15 AM  
**To:** Ruemel Panglao <rpanglao@smcgov.org>  
**Subject:** Eucalyptus and Pine trees

**CAUTION:** This email originated from outside of San Mateo County.  
Unless you recognize the sender's email address and know the  
content is safe, do not click links, open attachments or reply.

---

Dear Ruemel,

As always I greatly appreciate your assistance.

Since there is a major drive and incentives also being provided, to remove the Eucalyptuses and Pines given the fire hazard, and fire concerns raised by some households near our property, we are thinking of removing all of the Eucalyptuses and Pines that are on our property over the next several weeks.

Thanks

With kind regards

TJ Singh